CONTENTS

BRAND IDENTITY	5
VISUAL IDENTITY	8
Logo	8
l Colour	17
I Typography	24
I lcons	26
I Programme logos	27
REAL ESTATE	28
House style characteristics	28
Customer Guiding System	36
I Partnership signage	50
I EV charging	55
I A1 frames	58
STATIONARY	60
l Digital stationary	60
I Printed stationary	62
COMMUNICATIONS	67
l Guidelines	67
l Tools	76
I Q-Park Terminology	78
I Marketing Communications Code	93
I Tone of voice	94
I Punctuation	95
PUBLIC RELATIONS	96
l Press / Media protocol	96
I Guidelines	98
PHOTOGRAPHY	102
APPENDICES	120
GLOSSARY	125

- Lighting concept to achieve good light level and uniformity.
 - Light fittings run parallel to driving aisles at the front of the parking spaces.
 - Lighting to be the lowest technical installation.
 - Light fittings in LED with a standard Т light colour including and intelligent management system.







Car entrance

Clear signage visible from the public highway to guide the customer into the parking facility.


- Illuminated blue P sign combined with LED full/spaces sign.
- I Portal frames or architectural branding on the façade to increase awareness of the car park entry.
- Height restriction bar and obligatory traffic signs at the critical point of entry.

Speedgates and fast operating roller shutters ensure a safe closure of the parking facility.











Parking equipment

- Ī All parking equipment in red color (RAL 3020) easily recognisable for the customer.
- Terminals and barriers are positioned on islands with angled curbstones in contrasting colors.
- Standard positioning of terminals and barriers ı on islands for safe & convenient use.
- Pay stations and terminals are clearly visible in pedestrian areas and near vehicle exits.

