

---

# CONTENTS

<b>BRAND IDENTITY</b>	5
Brand voice & Tone of voice	6
Effective communication is crucial	7
<b>VISUAL IDENTITY</b>	8
Logo	8
Colour	17
Typography	24
Programme logos	26
<b>REAL ESTATE</b>	27
House style manual	27
Customer Guidance System	37
Partnership signage	51
EV charging points manual	56
Mobility Hub signage manual	63
A1 frames	95
<b>STATIONARY</b>	97
Digital stationary	97
Printed stationary	99
<b>COMMUNICATIONS</b>	104
Guidelines	104
Conventions for visuals and the logo	113
Tone of voice and Writing guidelines	114
Corporate English style guide	119
Tools	127
Q-Park terminology	129
Q-Park products	146
EV charging terminology	147
Marketing Communications Code	148
Tone of voice	149
<b>PR</b>	150
Guidelines	150
<b>PHOTOGRAPHY</b>	151
<b>APPENDICES</b>	156
<b>GLOSSARY</b>	158

## Car entrance

Clear signage visible from the public highway to guide the customer into the parking facility.

- I Illuminated blue P sign combined with LED spaces sign.
- I Portal frames or architectural branding on the façade to increase awareness of the car park access.
- I Height restriction bar and obligatory traffic signs at the critical point of access.

Speed gates and fast operating roller shutters ensure a safe closure of the parking facility.



## Parking equipment

- | All parking equipment in red colour (RAL 3020) easily recognisable for the customer.
- | Terminals and barriers are positioned on islands with angled kerbstones in contrasting colours.
- | Standard positioning of terminals and barriers on islands for safe and convenient use.
- | Pay stations and terminals are clearly visible in pedestrian areas and near vehicle exits.

### Parking equipment island with angled kerbstones




Figure 48: Recognisable parking equipment on island



Figure 49: Recognisable parking equipment on island



Figure 50: Pay stations

