
CONTENTS

BRAND IDENTITY	5
VISUAL IDENTITY	6
I Logo	6
I Colour	13
I Typography	20
I Icons	22
I Programme logos	23
REAL ESTATE	24
I House style characteristics	24
I Customer Guiding System	32
I Partnership signage	46
I EV charging	51
I A1 frames	54
STATIONARY	56
I Digital stationary	56
I Printed stationary	58
COMMUNICATIONS	63
I Tangible guidelines	63
I Digital guidelines	71
I Tools	73
I Jargon	75
I Marketing Communications Code	76
I Tone of voice	77
I Punctuation	78
PHOTOGRAPHY	79
APPENDICES	98
GLOSSARY	104

GLOSSARY

AI

Adobe Illustrator

BCE

Before (the) Common Era

Branding (origin)

The practice of branding is thought to have begun with the ancient Egyptians, who were known to have engaged in livestock branding as early as 2,700 BCE. Branding was used to differentiate one person's cattle from another's by means of a distinctive symbol burned into the animal's skin with a hot branding iron.

Source: <https://en.wikipedia.org/wiki/Brand>

Branding (today)

In the modern era, the concept of branding has expanded to include the marketing and communication methods that help to distinguish a company or products from competitors, aiming to create a lasting impression in the minds of customers. The key components that form a brand's toolbox include a brand's identity, brand communication (such as by logos and trademarks), brand awareness, brand loyalty, and various branding (brand management) strategies.[6] Many companies believe that there is often little to differentiate between several types of products in the 21st century, and therefore branding is one of a few remaining forms of product differentiation

Source: <https://en.wikipedia.org/wiki/Brand>

CCPD

Corporate Car Park Design

CGS

Customer Guidance System: the signage used in parking facilities, mostly red and green.

CMYK

The CMYK colour model is a subtractive colour model, based on the CMY colour model. It is used in colour printing, and is also used to describe the printing process itself. CMYK refers to the four ink plates used in some colour printing: cyan, magenta, yellow, and key (black). (Source: Wikipedia)

CTA

Call-To-Action

DOF

Depth Of Field - in guidelines for photography

EPA

European Parking Association

ESPA

European Standard Parking Award

EU English

EU English is used to refer to a particular variety of the English language involving both EU terminology and a number of other EU-specific lexical, grammatical and discourse features. Since the EU is involved in all walks of social, political and cultural life, EU English features characteristics of political, legal, business, and even academic discourse, thus mirroring the different functions and multiple activities of the European Union as a cultural, political and historical reality.

Idefix

Central T drive where manuals, approved visuals, templates etc. can be found.

ISO

international Standards Organisation

PNG

Portable Graphics Format

PODs

Points Of Difference

POIs

Points Of Interest

POPs

Points Of Parity

PRIS

Parking Route Information System

RGB

The RGB colour model is an additive colour model in which red, green, and blue light are added together in various ways to reproduce a broad array of colours. The name of the model comes from the initials of the three additive primary colours, red, green, and blue.
(Source: Wikipedia)

SMP

Sustainable Mobility Partner (a strategic programme to support cities with their mobility plans)

SVG

Scalable Vector Graphics

TOMA

Top Of Mind Awareness

VMS

Variable Message Signs

WDQ

We Develop Quality

Q-Park has assured a number of its activities under NEN-EN-ISO 9001.

Q-Park has received several ESPA and EPA awards.

For more details and up-to-date information about Q-Park's products and services please visit: www.q-park.com.

©2023 Q-Park BV, Published under own management. All rights reserved.



Q-Park BV
PO Box 1166
6201 BD Maastricht
T +31 433 297 171
F +31 433 297 172
I www.q-park.com
